

**SIMPSON STRONG-TIE**

» Simpson's new stainless-steel Titen HD heavy-duty screw anchor (THDSS) combines the corrosion resistance of Type 316 stainless steel with the undercutting ability of heat-treated carbon-steel cutting threads. A proprietary bimetal design uses a carbon-steel helical-coil thread brazed into the shank of the anchor. These serrated carbon-steel threads undercut the concrete allowing subsequent threads to securely interlock with the concrete.

www.strongtie.com/titenhdss

**MAKITA**

» Makita's breakthrough new XSR01 is the world's first cordless rear handle 7 1/4-inch saw powered by two 18V lithium-ion batteries, so users get maximum power and run-time without the cord — and without leaving the versatile 18V battery platform. In run-time testing, the XSR01 made 558 cuts in 2x4 SPF lumber on a single charge using two 18V 5.0-Ah batteries, and 291 cross cuts in 2x10 SPF lumber on a single charge (with 5.0-Ah batteries). The saw's Automatic Speed Change technology adjusts cutting speed and torque while cutting for optimum performance.

www.makitatools.com

BARTELL GLOBAL

» The Terminator Infinity is Bartell Global's newest Innovatech Terminator ride-on floor scraper. It features an all-day battery, a dual on-board 110V integrated charging system, higher AGM maintenance free battery capacity, and increased travel speed. The Terminator Infinity was created to be an undeniable money making, quality investment for both contractors and dealers.

www.bartellglobal.com

**HOUGEN**

» The new model HMD918 portable magnetic drill from Hougen offers a major upgrade to the depth of cut in the line of Hougen magnetic drills. The HMD918 has a high-torque motor and extended six-inch drilling depth to give metal fabricators more options to drill deep holes in steel, whether it is a solid piece of material or multiple stacked plates. The HMD918 includes a pressurized coolant bottle and system. The two-gallon bottle provides pressurized coolant to the cutter no matter the position of the drill.

www.hougen.com

**HITACHI**

» Hitachi's new model G12VE 4 1/2-inch AC Brushless Variable Speed Angle Grinder permits the use of extra-long extension cords with reduced power loss, eliminates maintenance of armatures or carbon brushes and delivers superior performance when powered by a generator. The G12VE's 12-amp motor has 1,300 watts of input power. Its variable speed is adjustable between 2,800 to 10,000 rpm (no-load speed).

www.hitachipowertools.com

GO TO » Get fresh New Products every day at www.ContractorsSupplyMagazine.com

HOW DO YOU HIRE & TRAIN THE NEXT GENERATION OF LEADERS FOR YOUR COMPANY?

JOIN TODAY

www.isapartners.org/join-isa

ISA is the premier provider of professional and career development for the industrial supply industry.

Get started on the path toward building your next generation of sales and technical professionals.

Learn more: www.isapartners.org/business-education-resources



THE INDUSTRIAL SUPPLY ASSOCIATION IS YOUR SINGLE BEST SOLUTION

Build the skills of your newer associates with the professional development programs offered through the ISA Education Foundation's Learning Center.

Plan for you and your new associates to attend the Foundation's regional Best and Brightest professional development programs.

Bring your new associates to the ISA annual convention's exceptional professional development sessions.

Enroll your new associates in ISA's exclusive Emerging Leaders Group.


Have your newer associates attend the ISA-sponsored University of Innovative Distribution.

To identify future associates, get actively involved in the Industrial Careers Pathway (ICP). This professional development program introduces high school and college students to a career in our great industry.

**M.K. MORSE**

» Recent discoveries at The M. K. Morse Company's technology center have led to dramatically improved cutting times and extended product life over all current bimetal hole saws on the market. These all-new Morse bimetal hole saws take hole boring efficiency to a new level. They produce a deeper cut depth, have an improved side slot and a proprietary cutting edge. Tests confirm the saw works more quickly and cleanly than all other bimetal hole saws.

www.mkmorse.com

**HARRINGTON HOISTS**

» The HFP SL Four-Point Sack Lifter Beam is designed to lift bulk container sacks. It is available in 1- and 2-metric-ton capacities with outside spreads of 36 and 48 inches. Its X-Style design provides a natural fit over the top of the bulk container sack and allows for a straight-line connection to lifting slings. A Standard Sling Keeper improves sling containment during the lift.

www.harringtonhoists.com

**CHAMPION**

» Champion Cutting Tool Corp.'s new Brute Platinum XLT Tapper is designed for high production tapping. Its high-tech features include automatic reverse and a pivoting tap collet for fast, trouble-free alignment and fewer broken taps. The Brute XLT Tapper fits all standard square shank taps from #10 up to 9/16-inch in steel and #10 up to 5/8-inch in aluminum.

www.championcuttingtool.com

**LACKMOND**

» Lackmond's new Beast/B+BTec Manual Tile Cutters are available in 30- and 37-inch models and are engineered with a hardened lightweight aluminum base plate and breaking strip. They offer the operator a direct view of the scoring wheel and cutting line. The Beast/B+BTec manual tile cutters have many other features including chrome and rectified solid steel guides, wide fixed tile stop and more. They provide the operator the accuracy needed to get the job done right and are ideal for making straight cuts and diagonal cuts. Each unit comes with a robust carrying case.

www.lackmond.com

GREENLEE


» Greenlee Textron's two new Next Generation tool bags are engineered to reduce strain on the user and withstand wear and tear. Their poly and nylon Ripstop fabric contains any tear, maintaining the durability and utilization of the bag. Critical seams are reinforced with double and triple stitching to prevent separation. The bags also have space for a personalized name patch.

www.greenlee.com

**CEP**

» CEP's new LED High Lumen Cart Light features a total of four 50-watt LED fixtures (rated at 50,000 hours each) pulling 5,500 lumens each or a total of 200 watts and 22,000 lumens. The total power draw of this new cart light is only 1.7 amps at 120V, which allows you to efficiently maximize your on-site temporary power. A self-braking winch allows you to easily raise the fixture to its maximum height of 12 feet and lower the light for easy disassembly and storage.

www.cepnow.com

**MAKINEX**

» The Makinex Hose 2 Go delivers a constant-pressure water supply ideal for the construction and rental industries as a dust suppression tool and portable water supply. The Hose 2 Go has a constant flow of water that allows you to suppress dust when cutting, core drilling and grinding concrete. It's different from every other product on the market because it provides a constant water flow without the use of a pump, battery or electronics. There is no need to manually pump to get the water pressure you need and its three-gallon capacity delivers up to 30 minutes of constant flowing water.

www.makinex.com

CS UNITEC

» Drill holes up to 3 1/16 inches in diameter with CS Unitec's powerful four-gear MABasic 850 portable magnetic drill. Its 16-amp, double-insulated motor has a 4-speed gearbox (110, 175, 245 or 385 rpm) for demanding applications requiring high power. Compact and portable, this drill cuts holes up to 3 1/16 inches (78mm) in diameter with annular cutters. The drill's MT3 design, coupled with the included 3/4-inch (19mm) geared chuck, easily converts the MABasic 850 to a standard drill press with a 10-inch (255mm) stroke for conventional twist drilling up to 1 1/4 inches (31.75mm) in diameter.

www.csunitec.com

**GENERAC**

» One of three light towers Generac launched at CONEXPO-CON/AGG, the MLT6SMD comes equipped with four 240-watt LED lights backed by a five-year limited warranty. The LED fixtures are highly durable, capable of withstanding extreme weather and construction site conditions. Its ECOSpeed engine runs at low speed when the LED lights are on, conserving fuel, reducing emissions and extending run time up to 580 hours on one tank of fuel.

www.generacmobileproducts.com

**ROCKLER**

» Get an even finish with Rockler's new HVL P Finishing Sprayer, model 56405, with Earlex HVL P (high volume, low pressure) spray technology designed to quickly and efficiently deliver smooth, even coats of finish. It accommodates many different finishing products, including varnish, lacquer, urethane, latex paint, enamel, stain and water sealant. The spray pattern is adjustable between 1 and 12 inches wide.

www.rockler.com

GO TO » Get fresh New Products every day at
www.ContractorsSupplyMagazine.com

LACKMOND

» Lackmond's new Beast/B+BTec Core Drills, Rigs and Bits are manufactured in Europe with the highest quality raw materials utilizing the most advanced manufacturing technology. The BCR130/5BG is a hand-held core drill with a back-grip making it ideal for drilling vertical holes. The BCR130/5MG hand-held core drill has a mid-grip for comfort when drilling horizontal holes. The BCR300/12 is a mast mounted core drill rig and is excellent for drilling conduit holes.

www.lackmond.com



BAHCO

» BAHCO's high-performance Side Nut Adjustable Wrenches give users strength that exceeds ASME torque requirements by 20 percent and ISO torque requirements by 25 percent. They offer the finest tuning in the industry, thanks to smooth movement and minimum play in the movable jaw.

www.bahco.com/en/



WORKIN' STIFF TOOLS

» The Industrial Cord Connector provides a safe and easier way to connect your electrical cords together. The Industrial Cord Connector is proudly Made in the USA in Sweetwater, Texas and eliminates the need to knot or tape cords together, which can expose conducting wire and increase the risk of fire, burns or electrical shock. The Industrial Cord Connector includes the connector body and two cinch straps. Cord Stops are available in sizes #10, #12, #14 and #16.

www.industrialcordconnector.com



STRONG MAN SAFETY PRODUCTS

» Strong Man now offers custom-printed debris netting, vinyl banners, mesh and fabric banners, visual barriers and fence murals that allow for customization of a wide array of mesh for applications including construction sites, concerts and special events. Customers can print their company name, high-resolution logo, advertisements, pictures and designs on superior strength reinforced PVC vinyl fabric. Strong Man's printed mesh has heat-sealed edges and grommets, is UV-treated and flame retardant and is available in various shade factors. Each request is made to order.

www.strongman.com



SIMPSON STRONG-TIE

» The new, patent-pending FBZ flat fence bracket makes the connection between rails and posts simple and strong. The flat-plate design, a new addition to the fence bracket line, is fabricated for a concealed look that shows less metal and makes installation easier by eliminating the need for toe nailing or screwing. The FBZ also can be used for handrails on porches and decks that are no more than 30 inches above the ground.

www.strongtie.com/fbz

GENX

NEXT GENERATION SEALANT TECHNOLOGY



THE NEXT GENERATION OF SEALANT TECHNOLOGY IS HERE

BONDS TO WET SURFACES

AGGRESSIVE ADHESION

NO SOLVENTS

LOW VOCs

LEARN ABOUT OUR PROFESSIONAL GRADE FEATURES ONLINE

WWW.XTRABONDGENX.COM

PREMIER BUILDING SOLUTIONS, INC
866-512-GLUE (4583) • MASSILLON, OH
WWW.PREMIERBUILDINGSOLUTIONS.NET



GENX



NEW
Stainless-steel
Titen HD[®]
heavy-duty
screw anchor

Corrosion Resistance Level



SEVERE



The new Simpson Strong-Tie[®] stainless-steel Titen HD[®] screw anchor delivers all the benefits of our high-strength Titen HD anchor and can now be installed in exterior and corrosive environments. Its innovative carbon helical-coil thread effectively cuts the concrete while significantly reducing the carbon steel in the anchor to maximize corrosion resistance.

To learn more about the Type 316 stainless-steel Titen HD screw anchor, visit go.strongtie.com/titenhdss or call (800) 999-5099.

